

Trade name: FotoDent model2

Substance number: 8955 Version: 1 / GB Date revised: 15.05.2023

> Replaces Version: - / GB Print date: 27.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

FotoDent model2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Light-curing material for the fabrication of dental working models

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Dreve Dentamid GmbH Max-Planck-Straße 31

59423 Unna

Telephone no. +49 2303 8807-0 Fax no. +49 2303 8807-29

by / telephone

for this SDS

Information provided Department Research & Development: Fax: +49 2303 8807-562

E-mail address of

person responsible

sicherheitsdatenblatt@dreve.com

1.4. Emergency telephone number

Henkel Fire Department / 24h-Emergency-Contact-No.: +49 211 797-3350

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319 Skin Sens. 1 H317 Aquatic Chronic 3 H412

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008 For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Warning



Trade name: FotoDent model2

Substance number: 8955 Version: 1 / GB Date revised: 15.05.2023

Replaces Version: - / GB Print date: 27.11.2023

Hazard statements

H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264.1 Wash hands thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P501.1 Dispose of contents/container to industrial incineration plant.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains 2-hydroxyethyl methacrylate; Hydroxylpropyl methacrylate; 7,7,9(7,9,9)-trimethyl-

4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate;

%

Propylidynetrimethanol, ethoxylated, esters with acrylic acid

2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

Bisphenol A, ethoxylated, dimethacrylate

CAS No. 41637-38-1 EINECS no. 609-946-4

Registration no. 01-2119980659-17 Concentration >= 50

Classification (Regulation (EC) No. 1272/2008)

Aquatic Chronic 4 H413

2-hydroxyethyl methacrylate

CAS No. 868-77-9 EINECS no. 212-782-2

Registration no. 01-2119490169-29

Concentration \Rightarrow 1 < 6,3 %

Classification (Regulation (EC) No. 1272/2008)

 Skin Irrit. 2
 H315

 Eye Irrit. 2
 H319

 Skin Sens. 1
 H317

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note D

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

CAS No. 72869-86-4 EINECS no. 276-957-5



Print date: 27.11.2023

Trade name: FotoDent model2

Substance number: 8955 Version: 1 / GB Date revised: 15.05.2023

Replaces Version: - / GB

Registration no. 01-2120751202-68

Concentration >= 2,5 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Skin Sens. 1B H317 Aquatic Chronic 2 H411

Aliphatic urethane methacrylate

EINECS no. 933-881-3

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319

Hydroxylpropyl methacrylate

CAS No. 27813-02-1 EINECS no. 248-666-3

Registration no. 01-2119490226-37

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319 Skin Sens. 1 H317

ATE oral 2.000 mg/kg

Acrylic Resin

Concentration >= 1 < 3,6 %

Classification (Regulation (EC) No. 1272/2008)

Skin Irrit. 2 H315 Eye Irrit. 2 H319

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

CAS No. 75980-60-8 EINECS no. 278-355-8

Registration no. 01-2119972295-29

Concentration >= 1 < 3 %

Classification (Regulation (EC) No. 1272/2008)

Repr. 2 H361f

Supplemental information

The substance is contained in the Candidate List for inclusion in Annex XIV of

Regulation (EC) No. 1907/2006 (REACH).

Propylidynetrimethanol, ethoxylated, esters with acrylic acid

CAS No. 28961-43-5 EINECS no. 500-066-5

Registration no. 01-2119489900-30

Concentration \Rightarrow 0,1 < 1 %

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319 Skin Sens. 1B H317 Aquatic Chronic 3 H412

SECTION 4: First aid measures



Trade name: FotoDent model2

Substance number: 8955 Version: 1 / GB Date revised: 15.05.2023

Replaces Version: - / GB Print date: 27.11.2023

4.1. Description of first aid measures

General information

Remove contaminated clothing immediately and dispose of safely. Adhere to personal protective measures when giving first aid

After inhalation

Remove the casualty into fresh air and keep him calm. In the event of symptoms take medical treatment.

After skin contact

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

After ingestion

Call in a physician immediately and show him the Safety Data Sheet. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Recommended: alcohol resistant foam, CO2, powders, water spray/mist, Extinguishing measures to suit surroundings

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations. Observe manufacturer's / distributor's instructions.



Trade name: FotoDent model2

Substance number: 8955 Version: 1 / GB Date revised: 15.05.2023

Replaces Version: - / GB Print date: 27.11.2023

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away sources of ignition. Ensure adequate ventilation. Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with skin, eyes and clothing. Use personal protective clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Pick up rest with suitable absorbent materials. Do not pick up with the help of saw-dust or other combustible substances. Clean contaminated floors and objects thoroughly, observing environmental regulations. Containers in which spilt substance has been collected must be adequately labelled. Dispose of as prescribed.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid formation of aerosols. Avoid impact, friction and electro-static loading; risk of ignition!. Keep container tightly closed.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. No smoking. Take action to prevent static discharges. Avoid impact and friction. Use only explosion-proof equipment. Keep away from combustible material. Wear shoes with conductive soles.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Hints on storage assembly

Do not store together with foodstuffs. Do not store with strong oxidizing agents.

Further information on storage conditions

Keep under lock and key or accessible only to specialists or people who are authorized. Keep container tightly closed and in a well-ventilated place. Keep in a cool place

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

Contains no substances with occupational exposure limit values.



Trade name: FotoDent model2

Substance number: 8955 Version: 1 / GB Date revised: 15.05.2023

Replaces Version: - / GB Print date: 27.11.2023

Derived No/Minimal Effect Levels (DNEL/DMEL)

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Long term
Route of exposure dermal

Mode of action Systemic effects

Concentration 0,233 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Reference group

Duration of exposure

Route of exposure

Made of exting

Consumer

Long term
inhalative

Mode of action Systemic effects

Concentration 0,145 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Duration of exposure Long term
Route of exposure dermal

Mode of action

Systemic effects

Concentration 0,0833 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Duration of exposure Long term
Route of exposure oral

Mode of action Systemic effects

Concentration 0,0833 mg/kg/d

Bisphenol A, ethoxylated, dimethacrylate

Type of value Derived No Effect Level (DNEL)

Reference group

Duration of exposure

Route of exposure

Mode of action

Systemic effects

Concentration 3,52 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Long term
Route of exposure dermal

Mode of action Systemic effects

Concentration 2 mg/kg

Type of value Derived No Effect Level (DNEL)

Reference group

Duration of exposure

Route of exposure

Mode of action

Consumer

Long term

inhalative

Systemic effects

Concentration 0,87 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Duration of exposure Long term
Route of exposure dermal



Print date: 27.11.2023

Trade name: FotoDent model2

Substance number: 8955 Version: 1 / GB Date revised: 15.05.2023

Replaces Version: - / GB

Mode of action Systemic effects

Concentration 1 mg/kg

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Duration of exposure Long term
Route of exposure oral

Mode of action Systemic effects

Concentration 0,5 mg/kg

2-hydroxyethyl methacrylate

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Long term
Route of exposure inhalative
Mode of action Systemic effects

Concentration 4,9 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Long term
Route of exposure dermal

Mode of action Systemic effects

Concentration 1,39 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Reference group Consumer

Duration of exposure Long term

Route of exposure inhalative

Mode of action Systemic effects

Concentration 1,45 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Duration of exposure Long term
Route of exposure dermal

Mode of action Systemic effects
Concentration 0.83

Concentration 0,83 mg/kg/d

Hydroxylpropyl methacrylate

Reference substance Hydroxylpropyl methacrylate
Type of value Derived No Effect Level (DNEL)

Reference group Worker Route of exposure inhalative

Concentration 14,7 mg/m³

Hydroxylpropyl methacrylate

Type of value Derived No Effect Level (DNEL)

Reference group Worker Route of exposure dermal

Concentration 4,2 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Reference group Consumer Route of exposure dermal

Concentration 2,5 mg/kg



Print date: 27.11.2023

Trade name: FotoDent model2

Substance number: 8955 Version: 1 / GB Date revised: 15.05.2023

Replaces Version: - / GB

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Route of exposure inhalative

Concentration 8,8 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Consumer

Route of exposure oral

Concentration 2,5 mg/kg

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Long term
Route of exposure inhalative
Mode of action Systemic effects

Concentration 3,3 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Long term
Route of exposure dermal

Mode of action Systemic effects

Concentration 1,3 mg/kg

Type of value Derived No Effect Level (DNEL)

Reference group

Duration of exposure

Route of exposure

Mode of action

Consumer

Long term

inhalative

Systemic effects

Concentration 0,6 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Duration of exposure Long term
Route of exposure oral

Mode of action Systemic effects

Concentration 0,3 mg/kg

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Duration of exposure Long term
Route of exposure dermal

Mode of action Systemic effects

Concentration 0,7 mg/kg

Propylidynetrimethanol, ethoxylated, esters with acrylic acid

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Long term
Route of exposure inhalative
Mode of action Systemic effects

Concentration 37 mg/m³

Type of value Derived No Effect Level (DNEL)



Print date: 27.11.2023

Trade name: FotoDent model2

Substance number: 8955 Version: 1 / GB Date revised: 15.05.2023

Replaces Version: - / GB

Reference group Worker
Duration of exposure Long term
Route of exposure dermal

Mode of action Systemic effects

Concentration 10,5 mg/kg

Predicted No Effect Concentration (PNEC)

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Type of value PNEC Saltwater

Concentration 0,00014 mg/l

Type of value PNEC

Type Freshwater sediment

Concentration 0,115 mg/kg

Type of value PNEC

Type Marine sediment

Concentration 0,0115 mg/kg

Type of value PNEC Type Soil

Concentration 0,0222 mg/kg

2-hydroxyethyl methacrylate

Type of value PNEC
Type Freshwater

Concentration 0,482 mg/l

Type of value PNEC Type Soil

Concentration 0,476 mg/kg

Type of value PNEC

Type Sewage treatment plant (STP)

Concentration 10 mg/l

Type of value PNEC

Type Freshwater sediment

Concentration 3,79 mg/kg

Type of value PNEC Saltwater

Concentration 0,482 mg/l

Type of value PNEC

Type Marine sediment

Concentration 3,79 mg/kg

Type of value PNEC

Type Man via the environment

Concentration 0,83 mg/kg/d

Hydroxylpropyl methacrylate

Reference substance Hydroxylpropyl methacrylate



Print date: 27.11.2023

Trade name: FotoDent model2

Substance number: 8955 Version: 1 / GB Date revised: 15.05.2023

Replaces Version: - / GB

Type of value PNEC Type Freshwater

Concentration 0,904 mg/l

Hydroxylpropyl methacrylate

Type of value PNEC

Type Freshwater sediment

Concentration 6,28 mg/kg

Hydroxylpropyl methacrylate

Type of value PNEC Type Soil

Concentration 0,727 mg/kg

Hydroxylpropyl methacrylate

Type of value PNEC

Type Sewage treatment plant (STP)

Concentration 10 mg/l

Type of value PNEC Type Marine

Concentration 0,904 mg/l

Type of value PNEC

Type Marine sediment

Concentration 6,28 mg/kg

7,7,9 (7,9,9) - trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazah exade can e-1,16-diylbis methacry lateral control of the control

Type of value PNEC
Type Freshwater

Concentration 0,01 mg/l

Type of value PNEC

Type Freshwater sediment

Concentration 4,56 mg/kg

Type of value PNEC Saltwater

Concentration 0,001 mg/l

Type of value PNEC

Type Marine sediment

Concentration 0,46 mg/kg

Type of value PNEC Type Soil

Concentration 0,91 mg/kg

Type of value PNEC

Type Sewage treatment plant (STP)

Concentration 3,61 mg/l

Type of value PNEC

Type Water (intermittent release)

Concentration 0,1 mg/l



Trade name: FotoDent model2

Substance number: 8955 Version: 1 / GB Date revised: 15.05.2023

Replaces Version: - / GB Print date: 27.11.2023

8.2. Exposure controls

General protective and hygiene measures

Do not smoke during work time. Hold emergency shower available. Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Take off immediately all contaminated clothing. Do not eat or drink during work time. Storage of foodstuffs in work rooms is forbidden. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

Do not inhale vapours; Use suitable respiratory protective device in case of insufficient ventilation

Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Hand protection must comply with EN 374.

Appropriate Material nitrile

Eye protection

Safety glasses

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid

Colour Various, depending on coloration

Odour characteristic

Melting point

Remarks not determined

Freezing point

Remarks not determined

Boiling point or initial boiling point and boiling range

Value 213 °C

Flammability

evaluation not determined

Upper and lower explosive limits

Remarks not determined

Flash point

Value > 100 °C

Method closed cup

Ignition temperature

Remarks not determined

Decomposition temperature

Remarks not determined

pH value



Trade name: FotoDent model2

Substance number: 8955 Version: 1 / GB Date revised: 15.05.2023

Replaces Version: - / GB Print date: 27.11.2023

Remarks not determined

Viscosity

Remarks not determined

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Remarks not determined

Density and/or relative density

Value 1,1 g/cm³

Temperature 20 °C

Relative vapour density

Remarks not determined

9.2. Other information

Odour threshold

Remarks not determined

Evaporation rate (ether = 1):

Remarks not determined

Solubility in water

Remarks virtually insoluble

Explosive properties

evaluation not determined

Oxidising properties

Remarks not determined

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Protect from heat and direct sunlight

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Irritant gases/vapours



Trade name: FotoDent model2

Substance number: 8955 Version: 1 / GB Date revised: 15.05.2023

Replaces Version: - / GB Print date: 27.11.2023

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

ATE > 10.000 mg/kg Method calculated value (Regulation (EC) No. 1272/2008)

Acute oral toxicity (Components)

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Species rat

LD50 > 5000 mg/kg

Method OECD 401

Bisphenol A, ethoxylated, dimethacrylate

Species rat

LD50 > 2000 mg/kg Remarks Test conducted with a similar formulation.

2-hydroxyethyl methacrylate

Species rat

LD50 > 5564 mg/kg

Hydroxylpropyl methacrylate

Species rat

LD50 >= 2000 mg/kg

Method OECD 401

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Species rat

LD50 > 5000 mg/kg

Method OECD 401

Propylidynetrimethanol, ethoxylated, esters with acrylic acid

Species rat

LD50 > 2000 mg/kg

Method OECD 401

Acrylic Resin

LD50 > 2000 mg/kg

Aliphatic urethane methacrylate

Species rat

LD50 > 2000 mg/kg

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Species rat

LD50 > 2000 mg/kg

Method OECD 402

Bisphenol A, ethoxylated, dimethacrylate

Species rat

LD50 > 2000 mg/kg

Method OECD 402

Remarks Test conducted with a similar formulation.

2-hydroxyethyl methacrylate

Species rabbit



Trade name: FotoDent model2

Substance number: 8955 Version: 1 / GB Date revised: 15.05.2023

Replaces Version: - / GB Print date: 27.11.2023

LD50 5000 mg/kg Remarks Test conducted with a similar formulation.

Hydroxylpropyl methacrylate

Species rabbit

LD50 > 5000 mg/kg

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Species rat

LD50 > 2000 mg/kg

Method OECD 402

Propylidynetrimethanol, ethoxylated, esters with acrylic acid

Species rabbit

LD50 > 13200 mg/kg

Acrylic Resin

LD50 > 2000 mg/kg

Aliphatic urethane methacrylate

Species rabbit

LD50 > 2000 mg/kg

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalative toxicity (Components)

Acrylic Resin

LC50 > 5 mg/l

Duration of exposure 4 h

Administration/Form Dust/Mist

Aliphatic urethane methacrylate

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation (Components)

Acrylic Resin

evaluation irritant Aliphatic urethane methacrylate

Remarks Based on available data, the classification criteria are not met.

Serious eye damage/irritation

evaluation irritant

Remarks The classification criteria are met.

Serious eye damage/irritation (Components)

2-hydroxyethyl methacrylate

Species rabbit

evaluation slightly irritant

Hydroxylpropyl methacrylate

Species rabbit evaluation slightly irritant

Propylidynetrimethanol, ethoxylated, esters with acrylic acid

Species rabbit evaluation irritant Method OECD 405

Acrylic Resin

evaluation irritant Aliphatic urethane methacrylate



Trade name: FotoDent model2

Substance number: 8955 Version: 1 / GB Date revised: 15.05.2023

Replaces Version: - / GB Print date: 27.11.2023

Species rabbit evaluation irritant

Sensitization

evaluation May cause sensitization by skin contact. Remarks The classification criteria are met.

Sensitization (Components)

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Route of exposure dermal Species mouse

evaluation May cause sensitization by skin contact.

2-hydroxyethyl methacrylate

Remarks Possible sensitization potential with human beings.

Hydroxylpropyl methacrylate

Species mouse evaluation non-sensitizing Method OECD 429

Remarks May cause sensitization by skin contact.

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Route of exposure dermal Species mouse evaluation sensitizing

Propylidynetrimethanol, ethoxylated, esters with acrylic acid

Route of exposure dermal Species guinea pig evaluation sensitizing Method OECD 406

Aliphatic urethane methacrylate

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks not determined

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity (Components)

Aliphatic urethane methacrylate

evaluation Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Reproduction toxicity (Components)

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

evaluation Suspected of damaging fertility.

Aliphatic urethane methacrylate

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity (Components)

Aliphatic urethane methacrylate

evaluation Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)



Trade name: FotoDent model2

Substance number: 8955 Version: 1 / GB Date revised: 15.05.2023

Replaces Version: - / GB Print date: 27.11.2023

Single exposure

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) (Components)

Aliphatic urethane methacrylate

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

No toxicological data are available.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Species carp (Cyprinus carpio)

LC50 1,4 mg/l

Duration of exposure 96 h

Method OECD 203

Bisphenol A, ethoxylated, dimethacrylate

Species rainbow trout (Oncorhynchus mykiss)

LL50 > 100 mg/l

Method OECD 203

Remarks Test conducted with a similar formulation.

2-hydroxyethyl methacrylate

Species Oryzias latipes

LC50 > 100 mg/l

Duration of exposure 96 h

Method OECD 203

Hydroxylpropyl methacrylate

Species golden orfe (Leuciscus idus)

LC50 493 mg/l

Duration of exposure 48 h Method DIN 38412 / Part 15

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Species zebra fish (Brachydanio rerio)

LC50 10,1 mg/l

Duration of exposure 96 h



Print date: 27.11.2023

Trade name: FotoDent model2

Substance number: 8955 Version: 1 / GB Date revised: 15.05.2023

h

Replaces Version: - / GB

Method OECD 203

Propylidynetrimethanol, ethoxylated, esters with acrylic acid

Species Zebrabaerbling

LC50 1,95 mg/l

Duration of exposure 96 h

Method OECD 203

Daphnia toxicity (Components)

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Species Daphnia magna

EC50 3,53 mg/l

Duration of exposure 48
Method OECD 202

Bisphenol A, ethoxylated, dimethacrylate

Species Daphnia magna

EL50 > 100 mg/l

Duration of exposure 48 h

Method OECD 202

2-hydroxyethyl methacrylate

Species Daphnia magna

EC50 380 mg/l

Duration of exposure 48 h

Method OECD 202

2-hydroxyethyl methacrylate

Species Daphnia magna

NOEC 24,1 mg/l

Duration of exposure 21 d

Method OECD 211

Hydroxylpropyl methacrylate

Species Daphnia magna

EC50 > 143 mg/l

Duration of exposure 48 h

Method OECD 202

Hydroxylpropyl methacrylate

Species Daphnia magna

NOEC 45,2 mg/l

Duration of exposure 21 d

Method OECD 211

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Species Daphnia magna

EC50 1,2 mg/l

Duration of exposure 48 h

Method OECD 202

Propylidynetrimethanol, ethoxylated, esters with acrylic acid

Species Daphnia magna

EC50 70,7 mg/l

Duration of exposure 48 h

Method OECD 202

Algae toxicity (Components)

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Species Pseudokirchneriella subcapitata

EC50 > 2,01 mg/l

Duration of exposure 72 h

Method OECD 201



Trade name: FotoDent model2

Substance number: 8955 Version: 1 / GB Date revised: 15.05.2023

> Replaces Version: - / GB Print date: 27.11.2023

Bisphenol A, ethoxylated, dimethacrylate

Species Pseudokirchneriella subcapitata

EL50 100 mg/l

Duration of exposure 72 h

OECD 201 Method

Test conducted with a similar formulation. Remarks

2-hydroxyethyl methacrylate

Species Pseudokirchneriella subcapitata

EC50 345 mg/l

Duration of exposure 72 h

OECD 201 Method

Hydroxylpropyl methacrylate

Species Pseudokirchneriella subcapitata

EC50 97,2 mg/l

Duration of exposure 72 h

OECD 201 Method

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Scenedesmus subspicatus **Species**

EC50 0.68 mg/l

72 Duration of exposure h

OECD 201 Method

Propylidynetrimethanol, ethoxylated, esters with acrylic acid

Species Scenedesmus subspicatus

EC50 2,2 mg/l

Duration of exposure 72 h

OECD 201 Method

Bacteria toxicity (Components)

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Species activated sludge

EC50 1000 mg/l

Duration of exposure 3 h

OECD 209 Method

Bisphenol A, ethoxylated, dimethacrylate **Species** activated sludge

NOEC 14,3 mg/l

28 Duration of exposure

Test conducted with a similar formulation. Remarks

2-hydroxyethyl methacrylate

Species Pseudomonas fluorescens

EC₀ 3000 mg/l

Duration of exposure 16

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

activated sludge Species

NOEC 36,1 mg/l

Duration of exposure 14

Propylidynetrimethanol, ethoxylated, esters with acrylic acid

Species activated sludge

EC20 292 mg/l

Duration of exposure 3 h

Method **OECD 209**

12.2. Persistence and degradability

General information



Trade name: FotoDent model2

Substance number: 8955 Version: 1 / GB Date revised: 15.05.2023

Replaces Version: - / GB Print date: 27.11.2023

not determined

Biodegradability (Components)

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Value < 0 to 10 %

Duration of test 28 d evaluation not readily degradable

Bisphenol A, ethoxylated, dimethacrylate

Value 24 %

Duration of test 28 d

evaluation Readily biodegradable (according to OECD criteria)

2-hydroxyethyl methacrylate

Value 92 to 100 %

Duration of test 14 d

evaluation Readily biodegradable (according to OECD criteria)

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

Value 22 %

Duration of test 28 d

evaluation not readily degradable

Propylidynetrimethanol, ethoxylated, esters with acrylic acid

Value 58 to 61 %

Duration of test 28 d

evaluation Readily biodegradable (according to OECD criteria)

Ready degradability (Components)

Hydroxylpropyl methacrylate

Value 81 %

Duration of test 28 Days

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Octanol/water partition coefficient (log Pow) (Components)

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

log Pow 3,1

Temperature 23 °C

Bisphenol A, ethoxylated, dimethacrylate

log Pow 4,39

2-hydroxyethyl methacrylate

log Pow 0,42 Temperature 25 °C

Method OECD 107

Hydroxylpropyl methacrylate

log Pow 0,97

Temperature 20 °C

7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate

log Pow 3,39

Temperature 20 °C

Propylidynetrimethanol, ethoxylated, esters with acrylic acid

log Pow 2,89

Temperature 23 °C



Trade name: FotoDent model2

Substance number: 8955 Version: 1 / GB Date revised: 15.05.2023

Replaces Version: - / GB Print date: 27.11.2023

Method OECD 107

Bioconcentration factor (BCF) (Components)

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

BCF 47 to 55

Concentration 0,1 mg/l
Duration of exposure 8 Weeks
Medium Freshwater

Species carp (Cyprinus carpio)

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Results of PBT and vPvB assessment

The product contains no PBT substances The product contains no vPvB substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the envrionment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

General information

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Must not be disposed together with household garbage. Dispose of waste according to applicable legislation.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off as product waste.

SECTION 14: Transport information



Trade name: FotoDent model2

Substance number: 8955 Version: 1 / GB Date revised: 15.05.2023

Replaces Version: - / GB Print date: 27.11.2023

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number or ID number	The product does not constitute a hazardous substance in land transport.	The product does not constitute a hazardous substance in sea transport.	The product does not constitute a hazardous substance in air transport.
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)		-	-
Label			
14.4. Packing group		-	-
14.5. Environmental hazards	-	no	-
		-	

SECTION 15: Regulatory information

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319 Skin Sens. 1 H317 Aquatic Chronic 3 H412

Hazard statements listed in Chapter 2/3

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H361f Suspected of damaging fertility.

H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.
 H413 May cause long lasting harmful effects to aquatic life.

CLP categories listed in Chapter 2/3

Aquatic Chronic 2 Hazardous to the aquatic environment, chronic, Category 2
Aquatic Chronic 3 Hazardous to the aquatic environment, chronic, Category 3
Aquatic Chronic 4 Hazardous to the aquatic environment, chronic, Category 4

Eye Irrit. 2 Eye irritation, Category 2

Repr. 2 Reproductive toxicity, Category 2
Skin Irrit. 2 Skin irritation, Category 2
Skin Sens. 1 Skin sensitization, Category 1



Trade name: FotoDent model2

Substance number: 8955 Version: 1 / GB Date revised: 15.05.2023

Replaces Version: - / GB Print date: 27.11.2023

Skin Sens. 1B Skin sensitization, Category 1B

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.