



Trade name: Plaquit

Substance number: 81600

Version: 1 / GB

Date revised: 16.05.2023

Replaces Version: - / GB

Print date: 16.05.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Plaquit

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Light-curing lacquer for plastic dental applications

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Dreve Dentamid GmbH

Max-Planck-Straße 31

59423 Unna

Telephone no.

+49 2303 8807-0

Fax no.

+49 2303 8807-29

Information provided
by / telephone

Department Research & Development: Fax: +49 2303 8807-562

E-mail address of

sicherheitsdatenblatt@dreve.com

person responsible
for this SDS

1.4. Emergency telephone number

Henkel Fire Department / 24h-Emergency-Contact-No.: +49 211 797-3350

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2	H225
Skin Irrit. 2	H315
Eye Dam. 1	H318
Skin Sens. 1	H317
Repr. 2	H361f
STOT SE 3	H335
Aquatic Chronic 3	H412

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms

Trade name: Plaquit

Substance number: 81600

Version: 1 / GB

Date revised: 16.05.2023

Replaces Version: - / GB

Print date: 16.05.2023

**Signal word**

Danger

Hazard statements

H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H317	May cause an allergic skin reaction.
H361f	Suspected of damaging fertility.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains	2-Propenoic acid, reaction products with pentaerythritol; Methyl methacrylate monomer, stabilized; Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide
----------	--

2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients

3.2. Mixtures**Hazardous ingredients****Methyl methacrylate monomer, stabilized**

CAS No.	80-62-6
EINECS no.	201-297-1
Registration no.	01-2119452498-28
Concentration	>= 25 < 50 %
Classification (Regulation (EC) No. 1272/2008)	
	Flam. Liq. 2 H225
	Skin Irrit. 2 H315
	Skin Sens. 1 H317
	STOT SE 3 H335

Additional remarks:



Trade name: Plaquit

Substance number: 81600

Version: 1 / GB

Date revised: 16.05.2023

Replaces Version: - / GB

Print date: 16.05.2023

CLP Regulation (EC) No 1272/2008, Annex VI, Note D

2-Propenoic acid, reaction products with pentaerythritol

CAS No.	1245638-61-2			
EINECS no.	629-850-6			
Registration no.	01-2119490003-49			
Concentration	>= 3	<	10	%
Classification (Regulation (EC) No. 1272/2008)				
	Acute Tox. 4		H302	
	Skin Irrit. 2		H315	
	Eye Dam. 1		H318	
	Skin Sens. 1		H317	
	Aquatic Chronic 2		H411	

ATE oral 540 mg/kg

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

CAS No.	75980-60-8			
EINECS no.	278-355-8			
Registration no.	01-2119972295-29			
Concentration	>= 3	<	10	%
Classification (Regulation (EC) No. 1272/2008)				
	Repr. 2		H361f	

2-hydroxy-2-methylpropiophenone

CAS No.	7473-98-5			
EINECS no.	231-272-0			
Registration no.	01-2119472306-39			
Concentration	>= 1	<	2	%
Classification (Regulation (EC) No. 1272/2008)				
	Acute Tox. 4		H302	
	Aquatic Chronic 3		H412	

ATE oral 1.694 mg/kg

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Remove contaminated clothing immediately and dispose of safely. Adhere to personal protective measures when giving first aid

After inhalation

Remove the casualty into fresh air and keep him calm. In the event of symptoms take medical treatment.

After skin contact

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

After ingestion

Call in a physician immediately and show him the Safety Data Sheet. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid



Trade name: Plaquit

Substance number: 81600

Version: 1 / GB

Date revised: 16.05.2023

Replaces Version: - / GB

Print date: 16.05.2023

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Recommended: alcohol resistant foam, CO₂, powders, water spray/mist, Extinguishing measures to suit surroundings

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations. Observe manufacturer's / distributor's instructions.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away sources of ignition. Ensure adequate ventilation. Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with skin, eyes and clothing. Use personal protective clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Pick up rest with suitable absorbent materials. Do not pick up with the help of saw-dust or other combustible substances. Clean contaminated floors and objects thoroughly, observing environmental regulations. Containers in which spilt substance has been collected must be adequately labelled. Dispose of as prescribed.

6.4. Reference to other sections



Trade name: Plaquit

Substance number: 81600

Version: 1 / GB

Date revised: 16.05.2023

Replaces Version: - / GB

Print date: 16.05.2023

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid formation of aerosols. Avoid impact, friction and electro-static loading; risk of ignition!. Keep container tightly closed.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. No smoking. Take action to prevent static discharges. Avoid impact and friction. Use only explosion-proof equipment. Keep away from combustible material. Wear shoes with conductive soles.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Hints on storage assembly

Do not store together with foodstuffs. Do not store with strong oxidizing agents.

Further information on storage conditions

Keep under lock and key or accessible only to specialists or people who are authorized. Keep container tightly closed and in a well-ventilated place. Keep in a cool place

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

Methyl methacrylate monomer, stabilized

List	TRGS 900			
Type	AGW			
Value	210	mg/m ³	50	ppm(V)

Maximum limit value: 2(l) Pregnancy group: Y; Status: Jan 2006; Remarks: DFG

Other information

Contains no substances with occupational exposure limit values.

Derived No/Minimal Effect Levels (DNEL/DMEL)

Methyl methacrylate monomer, stabilized

Reference substance	Methyl methacrylate monomer, stabilized	
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	208	mg/m ³

Type of value	Methyl methacrylate monomer, stabilized
Reference group	Derived No Effect Level (DNEL)
Duration of exposure	Worker
	Long term



Trade name: Plaquit

Substance number: 81600

Version: 1 / GB

Date revised: 16.05.2023

Replaces Version: - / GB

Print date: 16.05.2023

Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	13,7	mg/kg/d

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Short term	
Route of exposure	inhalative	
Concentration	416	mg/m ³

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	0,0015	mg/cm ²

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	8,2	mg/kg/d

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	8,2	mg/kg/d

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Short term	
Route of exposure	inhalative	
Concentration	208	mg/m ³

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	74,3	mg/m ³

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	0,233	mg/kg/d

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	



Trade name: Plaquit

Substance number: 81600

Version: 1 / GB

Date revised: 16.05.2023

Replaces Version: - / GB

Print date: 16.05.2023

Mode of action	Systemic effects	
Concentration	0,145	mg/m ³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	0,0833	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	0,0833	mg/kg/d

Predicted No Effect Concentration (PNEC)

Methyl methacrylate monomer, stabilized

Reference substance	Methyl methacrylate monomer, stabilized	
Type of value	PNEC	
Type	Freshwater	
Concentration	0,94	mg/l
Type of value	PNEC	
Type	Saltwater	
Concentration	0,094	mg/l
Type of value	PNEC	
Type	Soil	
Concentration	1,48	mg/kg
Type of value	PNEC	
Type	Freshwater sediment	
Concentration	10,2	mg/kg
Type of value	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	10	mg/l
Type of value	PNEC	
Type	Man via the environment	
Concentration	8,2	mg/kg/d
Type of value	PNEC	
Type	Marine sediment	
Concentration	1,2	mg/kg

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Type of value	PNEC	
Type	Saltwater	
Concentration	0,00014	mg/l
Type of value	PNEC	
Type	Freshwater sediment	
Concentration	0,115	mg/kg



Trade name: Plaquit

Substance number: 81600

Version: 1 / GB

Date revised: 16.05.2023

Replaces Version: - / GB

Print date: 16.05.2023

Type of value	PNEC	
Type	Marine sediment	
Concentration	0,0115	mg/kg

Type of value	PNEC	
Type	Soil	
Concentration	0,0222	mg/kg

2-Propenoic acid, reaction products with pentaerythritol

Type of value	PNEC	
Type	Freshwater	
Concentration	0,0032	mg/l

Type of value	PNEC	
Type	Saltwater	
Concentration	0,0003	mg/l

Type of value	PNEC	
Type	Water (intermittent release)	
Concentration	0,032	mg/l

Type of value	PNEC	
Type	Freshwater sediment	
Concentration	0,151	mg/kg

Type of value	PNEC	
Type	Marine sediment	
Concentration	0,0151	mg/kg

Type of value	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	10	mg/l

Type of value	PNEC	
Type	Soil	
Concentration	0,0283	mg/kg

8.2. Exposure controls**General protective and hygiene measures**

Do not smoke during work time. Hold emergency shower available. Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Take off immediately all contaminated clothing. Do not eat or drink during work time. Storage of foodstuffs in work rooms is forbidden. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

Do not inhale vapours; Use suitable respiratory protective device in case of insufficient ventilation

Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Hand protection must comply with EN 374.



Trade name: Plaquit

Substance number: 81600

Version: 1 / GB

Date revised: 16.05.2023

Replaces Version: - / GB

Print date: 16.05.2023

Appropriate Material Butyl rubber

Eye protection

Safety glasses

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	liquid		
Colour	colourless		
Odour	characteristic		
Melting point			
Remarks	not determined		
Freezing point			
Remarks	not determined		
Boiling point or initial boiling point and boiling range			
Value	101		°C
Flammability			
evaluation	Not applicable		
Upper and lower explosive limits			
Lower explosion limit	2,1		%(V)
Upper explosion limit	12,5		%(V)
Flash point			
Value	10		°C
Method	closed cup		
Ignition temperature			
Value	430		°C
Decomposition temperature			
Remarks	not determined		
Self Accelerating Decomposition / Polymerization Temperature (SADT/SAPT)			
Value	> 50		°C
pH value			
Remarks	not determined		
Viscosity			
dynamic			
Value	20		mPa.s
Temperature	23	°C	
Solubility(ies)			
Remarks	not determined		
Partition coefficient n-octanol/water (log value)			
Remarks	not determined		
Vapour pressure			
Value	47		hPa
Temperature	20	°C	



Trade name: Plaquit

Substance number: 81600

Version: 1 / GB

Date revised: 16.05.2023

Replaces Version: - / GB

Print date: 16.05.2023

Density and/or relative density

Value	0,98		g/cm ³
Temperature	20	°C	

Relative vapour density

Remarks not determined

9.2. Other information**Odour threshold**

Remarks not determined

Evaporation rate

Remarks not determined

Evaporation rate (ether = 1) :

Remarks not determined

Solubility in water

Remarks virtually insoluble

Explosive properties

evaluation not determined

Oxidising properties

Remarks not determined

Other information

None known

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Protect from heat and direct sunlight

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Irritant gases/vapours

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute oral toxicity**

ATE	5.377,02	mg/kg
	7	



Trade name: Plaquit

Substance number: 81600

Version: 1 / GB

Date revised: 16.05.2023

Replaces Version: - / GB

Print date: 16.05.2023

Method calculated value (Regulation (EC) No. 1272/2008)

Acute oral toxicity (Components)**Methyl methacrylate monomer, stabilized**

Species	rat		
LD50	appr.	7900	mg/kg

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Species	rat		
LD50	>	5000	mg/kg
Method	OECD 401		

2-Propenoic acid, reaction products with pentaerythritol

Species	rat		
LD50		540	mg/kg
Method	OECD 401		

2-hydroxy-2-methylpropiophenone

Species	rat		
LD50		1694	mg/kg
Method	OECD 401		

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)**Methyl methacrylate monomer, stabilized**

Species	rabbit		
LD50	>	5000	mg/kg
Method	OECD 402		

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Species	rat		
LD50	>	2000	mg/kg
Method	OECD 402		

2-Propenoic acid, reaction products with pentaerythritol

Species	rabbit		
LD50	>	2000	mg/kg
Method	OECD 402		

2-hydroxy-2-methylpropiophenone

Species	rat		
LD50		6929	mg/kg
Method	OECD 402		

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalative toxicity (Components)**Methyl methacrylate monomer, stabilized**

Species	rat		
LC50		29,8	mg/l
Duration of exposure	4	h	
Administration/Form	Vapors		

Skin corrosion/irritation

evaluation	irritant
Remarks	The classification criteria are met.

Skin corrosion/irritation (Components)**Methyl methacrylate monomer, stabilized**

Species	Human
---------	-------



Trade name: Plaquit

Substance number: 81600

Version: 1 / GB

Date revised: 16.05.2023

Replaces Version: - / GB

Print date: 16.05.2023

evaluation irritant

2-Propenoic acid, reaction products with pentaerythritol

Species	rabbit
evaluation	irritant
Method	OECD 404

Serious eye damage/irritation

evaluation	corrosive
Remarks	The classification criteria are met.

Serious eye damage/irritation (Components)**2-Propenoic acid, reaction products with pentaerythritol**

Species	rabbit
evaluation	corrosive
Method	OECD 405

Sensitization

evaluation	May cause sensitization by skin contact.
Remarks	The classification criteria are met.

Sensitization (Components)**Methyl methacrylate monomer, stabilized**

Route of exposure	dermal
Species	mouse
evaluation	sensitizing
Method	OECD 429

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Route of exposure	dermal
Species	mouse
evaluation	May cause sensitization by skin contact.

2-Propenoic acid, reaction products with pentaerythritol

Species	guinea pig
evaluation	non-sensitizing
Method	OECD 406

2-Propenoic acid, reaction products with pentaerythritol

Species	Human
evaluation	Possible sensitization potential with human beings.

Subacute, subchronic, chronic toxicity

Remarks	not determined
---------	----------------

Mutagenicity

Remarks	Based on available data, the classification criteria are not met.
---------	---

Reproductive toxicity

evaluation	Suspected of damaging fertility.
Remarks	The classification criteria are met.

Reproduction toxicity (Components)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

evaluation	Suspected of damaging fertility.
------------	----------------------------------

Carcinogenicity

Remarks	Based on available data, the classification criteria are not met.
---------	---

Specific Target Organ Toxicity (STOT)**Single exposure**

Remarks	The classification criteria are met.
evaluation	May cause respiratory irritation.



Trade name: Plaquit

Substance number: 81600

Version: 1 / GB

Date revised: 16.05.2023

Replaces Version: - / GB

Print date: 16.05.2023

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) (Components)**Methyl methacrylate monomer, stabilized****Single exposure**evaluation May cause respiratory irritation.
Route of exposure inhalative**Aspiration hazard**

Based on available data, the classification criteria are not met.

11.2 Information on other hazards**Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

No toxicological data are available.

SECTION 12: Ecological information**12.1. Toxicity****General information**

not determined

Fish toxicity (Components)**Methyl methacrylate monomer, stabilized**Species rainbow trout (*Oncorhynchus mykiss*)
LC50 > 79 mg/l
Duration of exposure 96 h**Methyl methacrylate monomer, stabilized**Species zebra fish (*Brachydanio rerio*)
NOEC 9,4 mg/l
Duration of exposure 35 d
Method OECD 210**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**Species carp (*Cyprinus carpio*)
LC50 1,4 mg/l
Duration of exposure 96 h
Method OECD 203**2-Propenoic acid, reaction products with pentaerythritol**Species carp (*Cyprinus carpio*)
LC50 3,2 mg/l
Duration of exposure 96 h
Method OECD 203**2-hydroxy-2-methylpropiophenone**Species golden orfe (*Leuciscus idus*)
EC50 160 mg/l
Duration of exposure 48 h



Trade name: Plaquit

Substance number: 81600

Version: 1 / GB

Date revised: 16.05.2023

Replaces Version: - / GB

Print date: 16.05.2023

Daphnia toxicity (Components)**Methyl methacrylate monomer, stabilized**

Species	Daphnia magna	
EC50	69	mg/l
Duration of exposure	48	h

Methyl methacrylate monomer, stabilized

Species	Daphnia magna	
NOEC	37	mg/l
Duration of exposure	21	d
Method	OECD 211	

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Species	Daphnia magna	
EC50	3,53	mg/l
Duration of exposure	48	h
Method	OECD 202	

2-Propenoic acid, reaction products with pentaerythritol

Species	Daphnia magna	
EC50	13	mg/l
Duration of exposure	48	h
Method	OECD 202	

2-hydroxy-2-methylpropiophenone

Species	Daphnia magna	
EC50	119	mg/l
Duration of exposure	48	h
Method	OECD 202	

Algae toxicity (Components)**Methyl methacrylate monomer, stabilized**

Species	Pseudokirchneriella subcapitata	
EC50	> 110	mg/l
Duration of exposure	72	h
Method	OECD 201	

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Species	Pseudokirchneriella subcapitata	
EC50	> 2,01	mg/l
Duration of exposure	72	h
Method	OECD 201	

2-Propenoic acid, reaction products with pentaerythritol

Species	Pseudokirchneriella subcapitata	
EL50	33	mg/l
Duration of exposure	96	h
Method	OECD 201	

2-hydroxy-2-methylpropiophenone

Species	Scenedesmus subspicatus	
ErC50	1,95	mg/l
Duration of exposure	72	h
Method	OECD 201	

2-hydroxy-2-methylpropiophenone

Species	Scenedesmus subspicatus	
NOEC	0,194	mg/l
Duration of exposure	72	h
Method	OECD 201	

Bacteria toxicity (Components)



Trade name: Plaquit

Substance number: 81600

Version: 1 / GB

Date revised: 16.05.2023

Replaces Version: - / GB

Print date: 16.05.2023

Methyl methacrylate monomer, stabilized

Species	activated sludge	
NOEC	> 100	mg/l
Duration of exposure	14	d

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Species	activated sludge	
EC50	> 1000	mg/l
Duration of exposure	3	h
Method	OECD 209	

2-Propenoic acid, reaction products with pentaerythritol

Species	activated sludge	
EC50	> 100	mg/l
Duration of exposure	3	h
Method	OECD 209	

2-hydroxy-2-methylpropiophenone

Species	activated sludge	
EC50	1000	mg/l
Duration of exposure	3	h
Method	OECD 209	

12.2. Persistence and degradability**General information**

not determined

Biodegradability (Components)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Value	< 0	to	10	%
Duration of test	28	d		
evaluation	not readily degradable			

2-Propenoic acid, reaction products with pentaerythritol

Value	6	to	14	%
Duration of test	28	d		
evaluation	not readily degradable			

Ready degradability (Components)**Methyl methacrylate monomer, stabilized**

Value	94			%
Duration of test	14	d		

2-hydroxy-2-methylpropiophenone**12.3. Bioaccumulative potential****General information**

not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Octanol/water partition coefficient (log Pow) (Components)**Methyl methacrylate monomer, stabilized**

log Pow	1,38		
Temperature	20	°C	
Method	OECD 107		

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

log Pow	3,1		
Temperature	23	°C	



Trade name: Plaquit

Substance number: 81600

Version: 1 / GB

Date revised: 16.05.2023

Replaces Version: - / GB

Print date: 16.05.2023

2-Propenoic acid, reaction products with pentaerythritol

log Pow 3,11

Bioconcentration factor (BCF) (Components)**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

BCF	47	to	55
Concentration	0,1	mg/l	
Duration of exposure	8	Weeks	
Medium	Freshwater		
Species	carp (Cyprinus carpio)		

12.4. Mobility in soil**General information**

not determined

12.5. Results of PBT and vPvB assessment**General information**

not determined

Results of PBT and vPvB assessment

The product contains no PBT substances

The product contains no vPvB substances.

12.6 Endocrine disrupting properties**Endocrine disrupting properties with respect to the environment**

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects**General information**

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations for the product**

Must not be disposed together with household garbage.

Dispose of waste according to applicable legislation.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off as product waste.

SECTION 14: Transport information

Trade name: Plaquit




Substance number: 81600

Version: 1 / GB

Date revised: 16.05.2023

Replaces Version: - / GB

Print date: 16.05.2023

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number or ID number	1247	1247	1247
14.2. UN proper shipping name	METHYL METHACRYLATE MONOMER, STABILIZED, Solution	METHYL METHACRYLATE MONOMER, STABILIZED, Solution	METHYL METHACRYLATE MONOMER, STABILIZED, Solution
14.3. Transport hazard class(es)	3	3	3
Label			
14.4. Packing group	II	II	II
Limited Quantity	1 I	1 I	
Transport category	2		
14.5. Environmental hazards	-		
Tunnel restriction code	D/E		

SECTION 15: Regulatory information

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2	H225	On basis of test data
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Repr. 2	H361f	Calculation method
STOT SE 3	H335	Calculation method
Aquatic Chronic 3	H412	Calculation method

Hazard statements listed in Chapter 2/3

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

Trade name: Plaquit

Substance number: 81600

Version: 1 / GB

Date revised: 16.05.2023

Replaces Version: - / GB

Print date: 16.05.2023

H335	May cause respiratory irritation.
H361f	Suspected of damaging fertility.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

CLP categories listed in Chapter 2/3

Acute Tox. 4	Acute toxicity, Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic, Category 3
Eye Dam. 1	Serious eye damage, Category 1
Flam. Liq. 2	Flammable liquid, Category 2
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin irritation, Category 2
Skin Sens. 1	Skin sensitization, Category 1
STOT SE 3	Specific target organ toxicity - single exposure, Category 3

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.