

Trade name: Unisol W

Substance number: 71205 Version: 2 / GB Date revised: 27.03.2025

> Replaces Version: 1 / GB Print date: 27.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Unisol W

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Wax-solving additive for cleaning of wax boiling-out units

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Dreve Dentamid GmbH Max-Planck-Straße 31 DE-59423 Unna

Telephone no. +49 2303 8807-0 Fax no. +49 2303 8807-29

Information provided Department Research & Development: Fax: +49 2303 8807-562

by / telephone

E-mail address of sicherheitsdatenblatt@dreve.com

person responsible for this SDS

1.4. Emergency telephone number

Henkel Fire Department / 24h-Emergency-Contact-No.: +49 211 797-3350

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008 For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Warning

Hazard statements

H319 Causes serious eye irritation.



Trade name: Unisol W

Substance number: 71205 Version: 2 / GB Date revised: 27.03.2025

Replaces Version: 1 / GB Print date: 27.03.2025

Precautionary statements

P264.1 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

Natriumbenzoat

CAS No. 532-32-1 EINECS no. 208-534-8

Registration no. 01-2119460683-35

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319

Alcohols, C10-12, ethoxylated, propoxylated

CAS No. 68154-97-2 EINECS no. 614-340-8

Concentration >= 1 < 3 %

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 4 H302 Eye Dam. 1 H318

ATE oral 950 mg/kg

Terpene, ethoxylated propoxylated

CAS No. 174955-61-4 EINECS no. 935-142-0

Concentration >= 1 < 6,3 %

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 4 H302 Eye Irrit. 2 H319

ATE oral 300 mg/kg

SECTION 4: First aid measures

4.1. Description of first aid measures



Trade name: Unisol W

Substance number: 71205 Version: 2 / GB Date revised: 27.03.2025

Replaces Version: 1 / GB Print date: 27.03.2025

General information

Remove contaminated clothing immediately and dispose of safely.

After inhalation

Ensure supply of fresh air.

After skin contact

In case of contact with skin wash off with warm water. Consult a doctor if skin irritation persists.

After eve contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Summon a doctor immediately.

After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Recommended: alcohol resistant foam, CO2, powders, water spray/mist, Extinguishing measures to suit surroundings

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.



Trade name: Unisol W

Substance number: 71205 Version: 2 / GB Date revised: 27.03.2025

Replaces Version: 1 / GB Print date: 27.03.2025

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. In case the product spills into sewage waters, immediately inform the authorities.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols. Perform filling operations only at stations with exhaust ventilation facilities. Provide suitable exhaust ventilation at the processing machines. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Provide solvent-resistant and impermeable floor.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

Contains no substances with occupational exposure limit values.

Derived No/Minimal Effect Levels (DNEL/DMEL)

Natriumbenzoat

Type of value Derived No Effect Level (DNEL)

Reference group

Duration of exposure

Route of exposure

Mode of action

Concentration

Worker

Long term

inhalative

Local effects

0,1

0,1 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Long term
Route of exposure dermal

Mode of action Systemic effects

Concentration 62,5 mg/cm²

Type of value Derived No Effect Level (DNEL)

Reference group Worker

Duration of exposure Long term

Route of exposure inhalative

Mode of action Systemic effects



Trade name: Unisol W

Substance number: 71205 Version: 2 / GB Date revised: 27.03.2025

Replaces Version: 1 / GB Print date: 27.03.2025

Concentration 3 mg/m³

Predicted No Effect Concentration (PNEC)

Natriumbenzoat

Type of value PNEC
Type Freshwater

Concentration 0,13 mg/l

Type of value PNEC Saltwater

Concentration 0,013 mg/l

Type of value PNEC

Type Freshwater sediment

Concentration 1,76 mg/kg

Type of value PNEC

Type Marine sediment

Concentration 0,176 mg/kg

Type of value PNEC Type Soil

Concentration 0,06 mg/kg

8.2. Exposure controls

General protective and hygiene measures

Hold eye wash fountain available. Hold emergency shower available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

Do not inhale vapours

Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Hand protection must comply with EN 374. Appropriate Material Butyl rubber

Eye protection

Safety glasses

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid Colour blue

Odour characteristic

Melting point



Trade name: Unisol W

Substance number: 71205 Version: 2 / GB Date revised: 27.03.2025

Replaces Version: 1 / GB Print date: 27.03.2025

Remarks not determined

Freezing point

Remarks not determined

Boiling point or initial boiling point and boiling range

Value 100 °C

Flammability

evaluation not determined

Upper and lower explosive limits

Remarks not determined

Flash point

Value 101 °C

Method closed cup

Auto-ignition temperature

Value > 560 °C

Decomposition temperature

Remarks not determined

pH value

Value 7

Temperature 20 °C

Viscosity

Remarks not determined

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Value 23 hPa

Temperature 20 °C

Density and/or relative density

Value 1,04 g/cm³

Temperature 20 °C

Relative vapour density

Remarks not determined

9.2. Other information

Odour threshold

Remarks not determined

Evaporation rate (ether = 1):

Remarks not determined

Solubility in water

Remarks miscible

Explosive properties

evaluation not determined

Oxidising properties

Remarks not determined

Other information



Trade name: Unisol W

Substance number: 71205 Version: 2 / GB Date revised: 27.03.2025

Replaces Version: 1 / GB Print date: 27.03.2025

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Irritant gases/vapours

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

ATE > 10.000 mg/kg

Method calculated value according to GHS (e.g see UN GHS)

Acute oral toxicity (Components)

Alcohols, C10-12, ethoxylated, propoxylated

Species rat

LD50 950 mg/kg

Method OECD 401

Source Manufacturer's data

Terpene, ethoxylated propoxylated

Species rat

LD50 300 to 2000 mg/kg

Method OECD 423

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)

Natriumbenzoat

Species rabbit

LD50 > 2000 mg/kg Remarks Test conducted with a similar formulation.

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalative toxicity (Components)

Natriumbenzoat



Trade name: Unisol W

Substance number: 71205 Version: 2 / GB Date revised: 27.03.2025

Replaces Version: 1 / GB Print date: 27.03.2025

Species rat

LC50 > 12200 mg/m³

Duration of exposure 4 h

Administration/Form Dust/Mist

Remarks Test conducted with a similar formulation.

Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

Serious eye damage/irritation

evaluation irritant

Remarks The classification criteria are met.

Serious eye damage/irritation (Components)

Alcohols, C10-12, ethoxylated, propoxylated

Species rabbit evaluation corrosive Method OECD 405

Source Manufacturer's data

Terpene, ethoxylated propoxylated

Species cattle evaluation non-irritant

Terpene, ethoxylated propoxylated

Species Human evaluation irritant

Natriumbenzoat

Species rabbit evaluation slightly irritant Method OECD 405

Sensitization

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks not determined

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to

humans.

Experience in practice



Trade name: Unisol W

Substance number: 71205 Version: 2 / GB Date revised: 27.03.2025

> Replaces Version: 1 / GB Print date: 27.03.2025

Inhalation may lead to irritation of the respiratory tract.

Other information

No toxicological data are available.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

Natriumbenzoat

Species Fathead minnow (Pimephales promelas) LC50 484 mq/l 96 h

Duration of exposure

Natriumbenzoat

zebra fish (Brachydanio rerio) Species

NOEC 10 mg/l

144 Duration of exposure h

Daphnia toxicity (Components)

Alcohols, C10-12, ethoxylated, propoxylated

Species Daphnia magna

EC50 mg/l 12

48 Duration of exposure h

OECD 202 Method

Manufacturer's data Source

Terpene, ethoxylated propoxylated

Species Daphnia magna

EC50 100 mg/l

Terpene, ethoxylated propoxylated

Species Mysidopsis bahia Remarks Toxic to aquatic life. Manufacturer's data Source

Natriumbenzoat

Species Daphnia magna

LC50 100 mg/l

Duration of exposure 96

OECD 202 Method

Natriumbenzoat

Daphnia magna Species

NOEC 5,81 mg/l

Duration of exposure 21 d

OECD 211 Method

Algae toxicity (Components)

Natriumbenzoat

Species Pseudokirchneriella subcapitata

EC50 30,5 mg/l

Duration of exposure 72 h

OECD 201 Method

Bacteria toxicity (Components)

h



Trade name: Unisol W

Substance number: 71205 Version: 2 / GB Date revised: 27.03.2025

Replaces Version: 1 / GB Print date: 27.03.2025

Natriumbenzoat

NOEC > 100 mg/l

Duration of exposure 168 h

12.2. Persistence and degradability

General information

not determined

Biodegradability (Components)

Alcohols, C10-12, ethoxylated, propoxylated

Value 93 %

Duration of test 28 Days

evaluation biodegradable
Source Manufacturer's data

Terpene, ethoxylated propoxylated

Value 60 %

Duration of test 28 d

evaluation Readily biodegradable (according to OECD criteria)

Natriumbenzoat

Value 85 %

Duration of test 28 d

evaluation Readily biodegradable (according to OECD criteria)

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Octanol/water partition coefficient (log Pow) (Components)

Natriumbenzoat

log Pow 1,88

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Results of PBT and vPvB assessment

The product contains no PBT substances The product contains no vPvB substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the envrionment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

General information

not determined

General information / ecology



Trade name: Unisol W

Substance number: 71205 Version: 2 / GB Date revised: 27.03.2025

Replaces Version: 1 / GB Print date: 27.03.2025

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Must not be disposed together with household garbage.

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number or ID number	The product does not constitute a hazardous substance in land transport.	The product does not constitute a hazardous substance in sea transport.	The product does not constitute a hazardous substance in air transport.
14.2. UN proper shipping name		-	-
14.3. Transport hazard class(es)		-	-
Label			
14.4. Packing group		-	-

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other information

All components are contained in the TSCA inventory or exempted.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:



Trade name: Unisol W

Substance number: 71205 Version: 2 / GB Date revised: 27.03.2025

Replaces Version: 1 / GB Print date: 27.03.2025

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319 Calculation method

Hazard statements listed in Chapter 2/3

H302 Harmful if swallowed.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

CLP categories listed in Chapter 2/3

Acute Tox. 4 Acute toxicity, Category 4
Eye Dam. 1 Serious eye damage, Category 1
Eye Irrit. 2 Eye irritation, Category 2

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.